

WEST Search History

DATE: Thursday, January 28, 2010

Hide?	Set Name	Query	Hit Count
<i>Prior Art</i>			
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L63	L61 and I14	6
<input type="checkbox"/>	L62	L61 and I36	0
<input type="checkbox"/>	L61	370/392-392/2.ccls.	6601
<input type="checkbox"/>	L60	I58 and I49	1
<input type="checkbox"/>	L59	I52 and I58	0
<input type="checkbox"/>	L58	security near5 parameter near5 index near5 packet near5 encrypt\$6	20
<input type="checkbox"/>	L57	I25 and security near5 parameter near5 index near5 packet near5 encrypt\$6	0
<input type="checkbox"/>	L56	security near5 parameter near5 index near5 packet near5 encrypt\$6	0
<input type="checkbox"/>	L55	load balanc\$3 same determin\$4 same destination near5 server and lower bit same source address same stateless address	1
<input type="checkbox"/>	L54	load balanc\$3 same determin\$4 same destination near5 server and lower bit same source address same stateless address	0
<input type="checkbox"/>	L53	L52 and load balanc\$3 same determin\$4 same destination near5 server and lower bit same source address same stateless address	0
<input type="checkbox"/>	L52	455/433-438.ccls.	9961
<input type="checkbox"/>	L51	L48 and lower bit same source address same stateless address	1
<input type="checkbox"/>	L50	L49 and lower bit same source address same stateless address	1
<input type="checkbox"/>	L49	(ONO near3 HIDEAKI and TAKECHI near3 RYUICHI and NAKATSUGAWA near3 KEIICHI).inv.	13
<input type="checkbox"/>	L48	(ONO near3 HIDEAKI or TAKECHI near3 RYUICHI or NAKATSUGAWA near3 KEIICHI).inv.	466
<input type="checkbox"/>	L47	load balanc\$3 same determin\$4 same destination near5 server same source address same packet	12
<input type="checkbox"/>	L34	lower bit same source address same stateless address	1
<input type="checkbox"/>	L31	L30 and @pd > 20090115	2
<input type="checkbox"/>	L30	mobile adj2 (node or terminal) with assign\$4 with (server or host)with (foreign or another or different) with network	36
<input type="checkbox"/>	L29	mobile adj2 (node or terminal) with assign\$4 adj5 (server or host)with (foreign or another or different) with network	7
<input type="checkbox"/>	L28	mobile adj2 (node or terminal) same (communicat\$4 or connect\$4) near5 (one or sam\$1 or allocat\$4 or assign\$5) adj5 (server or host)same (mov\$4 or enter\$4) same (foreign or another or different) near5 network	2

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐	L27	mobile adj2 (node or terminal) same (communicat\$4 or connect\$4) near5 (one or sam\$1 or allocat\$4) near5 (server or host)same (mov\$4 or enter\$4 or foreign or another or different) near5 network	56
---	-----	--	----

DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

☐	L26	mobile adj2 (node or terminal) same (communicat\$4 or connect\$4) near5 (one or sam\$1 or allocat\$4) near5 (server or host)same (mov\$4 or enter\$4 or foreign or another or different) near5 network	5
☐	L25	L24 and @pd > 20060426	1
☐	L24	packet near5 (pars\$4 or extract\$4) same (forward\$4 or transfer\$5 or connect\$4) same destination near5 server	2

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐	L23	L22 and L14	6
☐	L22	(709/227 l709/228).cccls.	8357
☐	L21	L14 and mobile near3 (terminal or node or computer)	8
☐	L20	mobile near3 (terminal or node or computer)	118995
☐	L19	packet near5 (pars\$4 or extract\$4) same (forward\$4 or transfer\$5 or connect\$4) same destination adj2 server	19
☐	L18	L17 and L14	3
☐	L17	(709/245).cccls.	2766
☐	L16	L14 and load balanc\$4	31
☐	L15	(709/226).cccls.	4405
☐	L14	packet near5 (pars\$4 or extract\$4) same (forward\$4 or transfer\$5 or connect\$4) same destination near5 server	125
☐	L13	receiv\$3 near5 packet near5 (pars\$4 or extract\$4) same (forward\$4 or transfer\$5 or connect\$4) same destination near5 server	20
☐	L12	mobile same packet near5 (pars\$4 or extract\$4) same destination near5 server	4
☐	L11	mobile adj2 terminal same packet near5 (pars\$4 or extract\$4) same destination near5 server	1
☐	L10	mobile adj2 terminal same receiv\$4 near5 packt same (pars\$4 or extract\$4) same destination near5 server	0
☐	L9	mobile terminal same receiv\$4 near5 packt same (pars\$4 or extract\$4) same destination near5 server	0

DB=PGPB; PLUR=YES; OP=ADJ

☐	L8	(20030093560)	1
---	----	---------------	---

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐	L7	(source address with stateless adj2 address)	5
☐	L6	(source address with stateless adj2 address)	5
☐	L5	(source address same stateless near3 address)	15
☐	L4	(select\$3 near5 server same stateless near3 address)	2
☐	L3	(load balanc\$3 same stateless near3 address)	1

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

☐	L2	20040181603	2
☐	L1	6801940.pn.	2

*Interference**DB=PGPB,USPT,UPAD; PLUR=YES; OP=ADJ*

☐	L46	load balanc \$ 3 SPACE~same determin \$ 4 same SPACE~destination near5 server same source address same packet	12
☐	L45	709/226-245.ccls.	33338
☐	L44	709/227-245.ccls.	30267
☐	L43	709/227-244.ccls.	28472
☐	L42	identi \$ 6 near5 (information or data) same lower bit same source address same stateless near5 configur \$ 6	1
☐	L41	L40 and @ pd > 20090903	0
☐	L40	L27 and L22	3
☐	L39	L38 and L30	0
☐	L38	L37 and L27	0
☐	L37	(709/244).ccls.	364
☐	L36	L35 and L27	0
☐	L35	(709/226).ccls.	4676
☐	L33	lower bit same source address same stateless address	1
☐	L32	mobile adj2 (node or terminal) same (communicat \$ 4 or connect \$ 4) near5 (one or sam \$ 1 or allocat \$ 4 or assign \$ \$) adj5 (server or host) same (mov \$ 4 or enter \$ 4) same (foreign or another or different) near5 network	2

END OF SEARCH HISTORY